## IMAGES

## Knee pain in a 17-year-old boy: a case of Ewing Sarcoma

## Gonalgia en varón joven: sarcoma Ewing

Elena Eugenia Nistor Nistor

A 17 year-old male patient presented with right knee pain of 3 months duration without prior trauma, with clinical worsening in recent days. He reported no allergies or relevant medical history and had received no treatment. Clinical examination showed a temperature of 37.5° C, right knee edema, joint deformity, joint effusion and severe functional impediment. Radiography showed an osteolytic image with enlarged soft tissue in the femoral external condyle suggestive of osteosarcoma (Figure). CT scan showed a large poorly defined osteolytic lesion in the femur with epiphysiolysis due to solid tumoration that extended to the soft tissue, with aggressive periosteal reaction (Codman triangle), and popliteal lymph node with a diameter of 6 mm. The diagnosis was Ewing sarcoma.



Figure. Osteolytic image. Condyle of right femur with increased soft tissue.

Author affiliation: Servicio de Urgencias, Hospital General de Castellón, Castellón, Spain. Corresponding author: Elena Eugenia Nistor. Servicio de urgencias. Hospital General de Castellón. Avda. Benicàssim, s/n. 12004 Castellón, Spain. Email: doctorelena2004@yahoo.es Article information: Received: 11/17/2012. Accepted: 3/8/2013. Online: 2/11/2015. Conflict of interest: The author declares no conflict of interest.